

10' Light Cinema Dome



The Omnispace 10' LCD was developed to streamline content production and exhibition in immersive formats.

Whether integrating it into a theater's content production workflow or displaying content in limited spaces such as exhibition and entertainment areas - this system has the capabilities of an entire theater with the footprint of a standard workspace.

In addition to the standard height and tilt adjustable legs, this lightweight aluminum system also allows for creative mounting options such as hanging for digital signage, immersive environments, and high impact data visualization.

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	4	Floor Area	71 ft²	Diameter	10 ft.	Indoor/Outdoor	Indoor only	Shipping Weight	287 lbs
Active Resolution (Arc)	3K	Screen Area	132 ft²	Height	8 to 10.5 ft.	Frame	1/2" Al6061 T6	Dome Setup Time	2.5-5 hours
Active Pixels	6635500	Standing Capacity	5	Width	10 ft.	Truss	2" tilt adjustable	Dismantle Time	2-3 hours
Visible Lumens	6000	Standard Chair Capacity	3	Door Width	7 ft.	Wind Load	N/A	Total Ballast Weight	N/A
Contrast	10,000:1	Theater Seat Capacity	3	Door Height	7 ft.	Snow Load	N/A	# Ballast Points	N/A
Display Technology	DLP	Motion Seat Capacity	2			Fire Rating	Synthetic self-extinguishing	Electrical (standard)	1.5 kW avg, 2.3 kW max
Audio	5.1 Surround	Number of Doors	Open design						

16' Light Cinema Dome



The Omnispace 16' LCD was developed to create a simple solution for displaying immersive 360° content with uncompromising visual fidelity. Whether enabling engaging educational applications or playing media at events and entertainment venues - this system has the capabilities and performance of a full theater, all in one powerful package.

The 16' LCD is ideal for use cases such as:

- Immersive VR theater
- Education and simulation
- Parties and events
- Digital signage
- Rides and gaming
- Content production

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	4	Floor Area	204 ft²	Diameter	16.5 ft.	Indoor/Outdoor	Indoor only	Shipping Weight	441 lbs
Active Resolution (Arc)	3K	Screen Area	365 ft²	Height	13 to 16 ft.	Frame	1/2" Al6061 T6	Dome Setup Time	6-8 hours
Active Pixels	6635500	Standing Capacity	14	Width	16.7 ft.	Truss	2" tilt adjustable	Dismantle Time	3-4 hours
Visible Lumens	6000	Standard Chair Capacity	12	Door Width	60-98"	Wind Load	N/A	Total Ballast Weight	N/A
Contrast	10,000:1	Theater Seat Capacity	10	Door Height	78-98"	Snow Load	N/A	# Ballast Points	N/A
Display Technology	DLP	Motion Seat Capacity	5			Fire Rating	Synthetic self-extinguishing	Electrical (standard)	1.5 kW avg, 2.3 kW max
Audio	5.1 Surround	Number of Doors	1						

20' Light Cinema Dome


The Omnispace 20' LCD was developed to create a simple solution for displaying immersive 360° content with uncompromising visual fidelity. Whether enabling engaging educational applications or playing media at events and entertainment venues - this system has the capabilities and performance of a full theater, all in one powerful package.

The 20' LCD is ideal for use cases such as:

- Immersive VR theater
- Education and simulation
- Parties and events
- Digital signage
- Rides and gaming
- Content production

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	4	Floor Area	92 ft ²	Diameter	20 ft.	Indoor/Outdoor	Indoor only	Shipping Weight	551 lbs
Active Resolution (Arc)	3K	Screen Area	157 ft ²	Height	13 to 16 ft.	Frame	1/2" Al6061 T6	Dome Setup Time	6-8 hours
Active Pixels	6635500	Standing Capacity	16	Width	20.3 ft.	Truss	2" tilt adjustable	Dismantle Time	3-4 hours
Visible Lumens	6000	Standard Chair Capacity	14	Door Width	60-98"	Wind Load	N/A	Total Ballast Weight	N/A
Contrast	10,000:1	Theater Seat Capacity	12	Door Height	78-98"	Snow Load	N/A	# Ballast Points	N/A
Display Technology	DLP	Motion Seat Capacity	6			Fire Rating	Synthetic self-extinguishing	Electrical (standard)	1.5 kW avg, 2.3 kW max
Audio	5.1 Surround	Number of Doors	1						

16' EC Light Cinema Dome



The Omnispace 16' EC LCD was developed to create a simple solution for displaying immersive 360° content with uncompromising visual fidelity. Whether enabling engaging educational applications or playing media at events and entertainment venues - this system has the capabilities and performance of a full theater, all in one powerful package.

The 16' EC LCD is ideal for use cases such as:

- Immersive VR theater
- Education and simulation
- Parties and events
- Digital signage
- Rides and gaming
- Content production

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	4	Floor Area	152 ft²	Diameter	16.4 ft.	Indoor/Outdoor	Yes/Yes	Shipping Weight	595lbs.
Active Resolution (Arc)	3K	Screen Area	327 ft²	Height	12.5 ft.	Frame	1" Al6061 T6	Dome Setup Time	6-8 hours
Active Pixels	6635500	Standing Capacity	18	Width	16.4 ft.	Truss	Provided additionally	Dismantle Time	3-4 hours
Visible Lumens	6000	Standard Chair Capacity	14	Door Width	68.50"	Wind Load	Storm wind 35m/s	Total Ballast Weight	2716 kg
Contrast	10,000:1	Theater Seat Capacity	8	Door Height	78.74"	Snow Load	550 per ft²	# Ballast Points	14
Display Technology	DLP	Motion Seat Capacity	4			Fire Rating	PVC self-extinguishing	Electrical (standard)	1.5 kW avg. 2.3 kW max
Audio	5.1 Surround	Number of Doors	1						

20' EC Light Cinema Dome


The Omnispace 20' ELCD was developed to create a simple solution for displaying immersive 360° content with uncompromising visual fidelity. Whether enabling engaging educational applications or playing media at events and entertainment venues - this system has the capabilities and performance of a full theater, all in one powerful package.

The 20' ELCD is ideal for use cases such as:

- Immersive VR theater
- Education and simulation
- Parties and events
- Digital signage
- Rides and gaming
- Content production

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	4	Floor Area	85 ft²	Diameter	20 ft.	Indoor/Outdoor	Yes/Yes	Shipping Weight	705lbs.
Active Resolution (Arc)	3K	Screen Area	157 ft²	Height	15.4 ft.	Frame	1" Al6061 T6	Dome Setup Time	6-8 hours
Active Pixels	6635500	Standing Capacity	22	Width	20.3 ft.	Truss	Provided additionally	Dismantle Time	3-4 hours
Visible Lumens	6000	Standard Chair Capacity	16	Door Width	43"	Wind Load	Storm wind 35m/s	Total Ballast Weight	2716 kg
Contrast	10,000:1	Theater Seat Capacity	9	Door Height	82.6"	Snow Load	550 per ft²	# Ballast Points	14
Display Technology	DLP	Motion Seat Capacity	5			Fire Rating	PVC self-extinguishing	Electrical (standard)	1.5 kW avg, 2.3 kW max
Audio	5.1 Surround	Number of Doors	1						

22' Light Cinema Dome



The Omnispace 22' LCD was developed to create a simple solution for displaying immersive 360° content with uncompromising visual fidelity. Whether enabling engaging educational applications or playing media at events and entertainment venues - this system has the capabilities and quality of a full theater, all in one powerful package.

The 22' LCD is ideal for use cases such as:

- Immersive VR theater
- Education and simulation
- Events and entertainment
- Rides and gaming

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	4	Floor Area	387 ft²	Diameter	22.5 ft.	Indoor/Outdoor	Indoor / Restricted outdoor	Shipping Weight	286 lbs
Active Resolution (Arc)	3K	Screen Area	753 ft²	Height	14 ft.	Frame	0.55" 2" Al6061 T6	Dome Setup Time	2-3 hours
Active Pixels	6635500	Standing Capacity	38	Width	22.5 ft.	Truss	2" Al6061 T6	Dismantle Time	1-2 hours
Visible Lumens	9000	Standard Chair Capacity	28	Door Width	36"	Wind Load	Occasional 25 mph	Total Ballast Weight	N/A
Contrast	16,000:1	Theater Seat Capacity	14	Door Height	78"	Snow Load	N/A	# Ballast Points	N/A
Display Technology	DLP	Motion Seat Capacity	10	Vent Openings	2X 12"	Fire Rating	Synthetic self-extinguishing	Electrical (standard)	1.9 kW avg, 2.8 kW max
Audio	5.1 Surround	Number of Doors	1						

26' Light Cinema Dome




Deliver immersive and unforgettable 360° experiences to audiences anywhere. Our LCD have overhead projection and can be used for standing or seated experiences in numerous configurations. Their reinforced structures are suitable for outdoor use.

The 26' LCD is ideal for:

- Creating digital and dynamic environments
- Events and exhibitions
- Education and simulation- Bringing 360 VR content to large audiences (approx 35X the throughput of a VR head mounted display)
- Music, art, and dance
- Live and interactive presentations and performances.

Includes a complete system: dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	4	Floor Area	495 ft²	Diameter	26 ft.	Indoor/Outdoor	Yes/Temporary	Shipping Weight	426 lbs
Active Resolution (Arc)	3K	Screen Area	882 ft²	Height	18 ft.	Frame	1", 2" Al6061 T6	Dome Setup Time	3-5 hours
Active Pixels	6635500	Standing Capacity	50	Width	29.5 ft.	Truss	2" Al6061 T6	Dismantle Time	2 hours
Visible Lumens	9000	Standard Chair Capacity	36	Door Width	47"	Wind Load	Storm wind 35 mph	Total Ballast Weight	661 lbs
Contrast	16,000:1	Theater Seat Capacity	18	Door Height	82.5"	Snow Load	51 lb per ft²	# Ballast Points	18
Display Technology	DLP	Motion Seat Capacity	14	Door Distance	20.5 ft.	Fire Rating	Synthetic self-extinguishing	Electrical (standard)	1.9 kW avg, 2.8 kW max
Audio	5.1 Surround	Number of Doors	2	Vent Openings	2X 18" - 2X 6"				

26' Immersive Event Dome


Deliver immersive and unforgettable 360° experiences to audiences anywhere. Our Immersive Event Domes have overhead projection and can be used for standing or seated experiences in numerous configurations. Their reinforced structures are suitable for outdoor use.

The 26' Immersive Event Dome is ideal for:

- Creating digital and dynamic environments
- Events and exhibitions
- Education and simulation- Bringing 360 VR content to large audiences (approx 35X the throughput of a VR head mounted display)
- Music, art, and dance
- Live and interactive presentations and performances.

Includes a complete system: dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8	Floor Area	532 ft ²	Diameter	26 ft.	Indoor/Outdoor	Indoor and outdoor rated	Shipping Weight	2,735 lbs
Active Resolution (Arc)	4.5K	Screen Area	752 ft ²	Height	18 ft.	Frame	1" struts, 2" Al6061 T6	Dome Setup Time	Site determined
Active Pixels	13271000	Standing Capacity	56	Width	29.5 ft.	Truss	2" Al6061 T6	Dismantle Time	Site determined
Visible Lumens	24280	Standard Chair Capacity	38	Door Width	47"	Wind Load	78 MPH. Beaufort 11	Total Ballast Weight	Site determined
Contrast	10,000:1	Theater Seat Capacity	20	Door Height	82.5"	Snow Load	51 lb per ft ²	# Ballast Points	Site determined
Display Technology	DLP	Motion Seat Capacity	14	Door Distance	20.5 ft.	Fire Rating	Synthetic self-extinguishing	Electrical (standard)	3.2 kW avg, 4.3 kW max
Audio	5.1 Surround	Number of Doors	2	Vent Openings	2X 18"- 2X 6"				

33' Light Cinema Dome


The Omnispace 33' LCD was developed to create a simple solution for displaying immersive 360° content with uncompromising visual fidelity. Whether enabling engaging educational applications or playing media at events and entertainment venues - this system has the capabilities and quality of a full theater, all in one powerful package.

The 33' LCD is ideal for use cases such as:

- Immersive VR theater (approx 50X the throughput of a VR head mounted display)
- Education and simulation
- Events and entertainment
- Rides and gaming

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8	Floor Area	786 ft²	Diameter	33 ft.	Indoor/Outdoor	Yes / Restricted outdoor	Shipping Weight	551 lbs
Active Resolution (Arc)	4.5K	Screen Area	1507 ft²	Height	21 ft.	Frame	1", 2" Al6061 T6	Dome Setup Time	4-8 hours
Active Pixels	13271000	Standing Capacity	80	Width	33 ft.	Truss	2" Al6061 T6	Dismantle Time	3-5 hours
Visible Lumens	24280	Standard Chair Capacity	54	Door Width	47"	Wind Load	Occasional 25 mph	Total Ballast Weight	1102
Contrast	10.000:1	Theater Seat Capacity	36	Door Height	82.5"	Snow Load	N/A	# Ballast Points	18
Display Technology	DLP	Motion Seat Capacity	24	Vent Openings	2X 12"	Fire Rating	Synthetic self-extinguishing	Electrical (standard)	3.2 kW avg, 4.3 kW max
Audio	5.1 Surround	Number of Doors	2						

33' Immersive Event Dome




The Omnispace 33' Immersive Event Dome was developed to create a simple solution for displaying immersive 360° content with uncompromising visual fidelity. Whether enabling engaging educational applications or playing media at events and entertainment venues - this system has the capabilities and quality of a full theater, all in one powerful package.

The 33' Immersive Event Dome is ideal for use cases such as:

- Immersive VR theater (approx 50X the throughput of a VR head mounted display)
- Education and simulation
- Events and entertainment
- Rides and gaming

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8	Floor Area	786 ft²	Diameter	33 ft.	Indoor/Outdoor	Yes / Restricted outdoor	Shipping Weight	1100 lbs
Active Resolution (Arc)	4.5K	Screen Area	1507 ft²	Height	21 ft.	Frame	1", 2" Al6061 T6	Dome Setup Time	4-8 hours
Active Pixels	13271000	Standing Capacity	80	Width	33 ft.	Truss	2" Al6061 T6	Dismantle Time	3-5 hours
Visible Lumens	24280	Standard Chair Capacity	54	Door Width	47"	Wind Load	Occasional 25 mph	Total Ballast Weight	1102
Contrast	10,000:1	Theater Seat Capacity	36	Door Height	82.5"	Snow Load	N/A	# Ballast Points	18
Display Technology	DLP	Motion Seat Capacity	24	Vent Openings	2X 12"	Fire Rating	Synthetic self-extinguishing	Electrical (standard)	3.2 kW avg, 4.3 kW max
Audio	5.1 Surround	Number of Doors	2						

40' Light Cinema Dome




The Omnispace 40' LCD was developed to create a simple solution for displaying immersive 360° content with uncompromising visual fidelity. Whether enabling engaging educational applications or playing media at events and entertainment venues - this system has the capabilities and quality of a full theater, all in one powerful package.

The 40' LCD is ideal for use cases such as:- Immersive VR theater (approx 80X the throughput of a VR head mounted display)

- Education and simulation- Events and entertainment
- Rides and gaming
- Music, art, and dance

Includes a complete system: Cinema dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8	Floor Area	1184 ft²	Diameter	39.4 ft.	Indoor/Outdoor	Indoor / Restricted outdoor	Shipping Weight	2,600 lbs
Active Resolution (Arc)	4.5K	Screen Area	2260 ft²	Height	27 ft.	Frame	1" steel, 2" Al6061 T6	Dome Setup Time	6-14 hours
Active Pixels	13271000	Standing Capacity	120	Width	40 ft.	Truss	2" Al6061 T6	Dismantle Time	4-6 hours
Visible Lumens	24280	Standard Chair Capacity	68	Door Width	47"	Wind Load	78 MPH, Beaufort 11	Total Ballast Weight	2200 lbs
Contrast	10,000:1	Theater Seat Capacity	44	Door Height	82.5"	Snow Load	51 lb per ft²	# Ballast Points	25
Display Technology	DLP	Motion Seat Capacity	30	Vent Openings	5X 12"	Fire Rating	Synthetic self-extinguishing	Electrical (standard)	3.2 kW avg, 4.3 kW max
Audio	5.1 Surround	Number of Doors	2						




46' Immersive Event Dome

Deliver immersive and unforgettable 360° experiences to audiences anywhere. Our Immersive Event Domes have overhead projection and can be used for standing or seated experiences in numerous configurations. Their reinforced structures are suitable for outdoor use.

The 46' Immersive Event is ideal for:

- Creating digital and dynamic environments
- Events and exhibitions
- Education and simulation
- Bringing 360 VR content to large audiences (approx 110X the viewer throughput of a VR head mounted display)
- Music, art, and dance
- Live and interactive presentations and performances

Includes a complete system: dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8	Floor Area	1453 ft²	Diameter	46 ft	Indoor/Outdoor	Indoor and outdoor rated	Shipping Weight	4,750 lbs
Active Resolution (Arc)	4.5K	Screen Area	2905 ft²	Height	31 ft	Frame	1.25" steel struts	Dome Setup Time	Site determined
Active Pixels	13271000	Standing Capacity	130	Width	46 ft	Truss	2" steel	Dismantle Time	Site determined
Visible Lumens	33200	Standard Chair Capacity	86	Door Width	48"	Wind Load	85 MPH (Beaufort 12)	Total Ballast Weight	Site determined
Contrast	10,000:1	Theater Seat Capacity	64	Door Height	82"	Snow Load	20.5 lbs ft²	# Ballast Points	Site determined
Display Technology	DLP	Motion Seat Capacity	Configurable	Vent Openings	5X. 20"	Fire Rating	Flame retar. poly. and pvc	Electrical (standard)	6.5 kW avg, 8.6 kW max
Audio	5.1 Surround	Number of Doors	2						


50' Immersive Event Dome

Deliver immersive and unforgettable 360° experiences to audiences anywhere. Our Immersive Event Domes have overhead projection and can be used for standing or seated experiences in numerous configurations. Their reinforced structures are suitable for outdoor use.

The 50' Immersive Event Dome is ideal for:

- Creating digital and dynamic environments
- Events and exhibitions
- Education and simulation
- Bringing 360 VR content to large audiences (approx 110X the viewer throughput of a VR head mounted display)
- Music, art, and dance
- Live and interactive presentations and performances

Includes a complete system: dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8	Floor Area	535 ft²	Diameter	50 ft	Indoor/Outdoor	Indoor and outdoor rated	Shipping Weight	6,173 lbs
Active Resolution (Arc)	4.5K	Screen Area	1017 ft²	Height	32 ft	Frame	1.6" steel struts	Dome Setup Time	Site determined
Active Pixels	13271000	Standing Capacity	150	Width	50 ft	Truss	2" steel	Dismantle Time	Site determined
Visible Lumens	33200	Standard Chair Capacity	88	Door Width	48"	Wind Load	85 MPH (Beaufort 12)	Total Ballast Weight	Site determined
Contrast	10,000:1	Theater Seat Capacity	72	Door Height	82"	Snow Load	20.5 lbs ft²	# Ballast Points	Site determined
Display Technology	DLP	Motion Seat Capacity	Configurable	Vent Openings	5X. 20"	Fire Rating	Flame retar. poly. and pvc	Electrical (standard)	6.5 kW avg. 8.6 kW max
Audio	5.1 Surround	Number of Doors	2						


53' Immersive Event Dome

Deliver immersive and unforgettable 360° experiences to audiences anywhere. Our Immersive Event Domes have overhead projection and can be used for standing or seated experiences in numerous configurations. Their reinforced structures are suitable for outdoor use.

The 53' Immersive Event Dome is ideal for:

- Creating digital and dynamic environments
- Events and exhibitions
- Education and simulation
- Bringing 360 VR content to large audiences (approx 110X the viewer throughput of a VR head mounted display)
- Music, art, and dance
- Live and interactive presentations and performances

Includes a complete system: dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.



Standard A/V (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8	Floor Area	656 ft²	Diameter	53 ft	Indoor/Outdoor	Indoor and outdoor rated	Shipping Weight	8000 lbs
Active Resolution (Arc)	4.5K	Screen Area	1158 ft²	Height	35.5ft	Frame	2" steel struts	Dome Setup Time	Site determined
Active Pixels	13271000	Standing Capacity	170	Width	50 ft	Truss	2" steel	Dismantle Time	Site determined
Visible Lumens	33200	Standard Chair Capacity	120	Door Width	5.3'	Wind Load	88MPH (Beaufort 12)	Total Ballast Weight	Site determined
Contrast	10.000:1	Theater Seat Capacity	102	Door Height	7.2'	Snow Load	22 lbs ft²	# Ballast Points	Site determined
Display Technology	DLP	Motion Seat Capacity	Configurable	Vent Openings	5X. 20"	Fire Rating	Flame retar. poly. and pvc	Electrical (standard)	6.5 kW avg. 8.6 kW max
Audio	5.1 Surround	Number of Doors	2						

70' Virtual Environment Dome



Deliver immersive and unforgettable 360° experiences to audiences anywhere. Our Virtual Environment Domes have overhead projection and can be used for standing or seated experiences in numerous configurations. Their reinforced structures are suitable for outdoor use.

The 70' VED is ideal for:

- Creating digital and dynamic environments
- Events and exhibitions
- Education and simulation- Bringing 360 VR content to large audiences
- Music, art, and dance
- Live and interactive presentations and performances

Includes a complete system: dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8+	Floor Area	3584 ft ²	Diameter	70 ft	Indoor/Outdoor	Outdoor	Shipping Weight	9150 lbs
Active Resolution (Arc)	4.7K+	Screen Area	8072 ft ²	Height	42.3 ft	Frame	2" Steel	Dome Setup Time	Site determined
Active Pixels	14,008,320+	Standing Capacity	330	Width	70 ft	Truss	2" AL6061 T6	Dismantle Time	Site determined
Visible Lumens	124,800+	Standard Chair Capacity	220	Door Width	6.6 ft	Wind Load	78 MPH. Beaufort 11	Total Ballast Weight	14330 lbs
Contrast	10,000:1	Theater Seat Capacity	174	Door Height	7 ft	Snow Load	661 lb per ft ²	# Ballast Points	28
Display Technology	DLP	Motion Seat Capacity	Configurable	Vent Openings	5x20"	Fire Rating	Synthetic self-extinguishing	Electrical (standard)	10 kW avg, 16 kW max
Audio	5.1 Surround	Number of Doors	2						

89' Virtual Environment Dome




Deliver immersive and unforgettable 360° experiences to audiences anywhere. Our Virtual Environment Domes have overhead projection and can be used for standing or seated experiences in numerous configurations. Their reinforced structures are suitable for outdoor use.

The 89' VED is ideal for:

- Creating digital and dynamic environments
- Events and exhibitions
- Education and simulation- Bringing 360 VR content to large audiences
- Music, art, and dance
- Live and interactive presentations and performances

Includes a complete system: dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	8+	Floor Area	5780 ft²	Diameter	88.6 ft	Indoor/Outdoor	Outdoor	Shipping Weight	21164 lbs
Active Resolution (Arc)	4.7K+	Screen Area	11517 ft²	Height	50.8 ft	Frame	2" Steel	Dome Setup Time	Site determined
Active Pixels	14,008,320+	Standing Capacity	540	Width	88.6 ft	Truss	2" AL6061 T6	Dismantle Time	Site determined
Visible Lumens	124,800+	Standard Chair Capacity	420	Door Width	6.6 ft	Wind Load	78 MPH. Beaufort 11	Total Ballast Weight	21165 lbs
Contrast	10,000:1	Theater Seat Capacity	380	Door Height	7 ft	Snow Load	970 lb ft²	# Ballast Points	28
Display Technology	3DLP	Luxury Seat Capacity	340	Vent Openings	5x20"	Fire Rating	Synthetic self-extinguishing	Electrical (standard)	22kW avg, 36kW max
Audio	5.1 Surround	Number of Doors	2						

115' Virtual Environment Dome

Deliver immersive and unforgettable 360° experiences to audiences anywhere.



Our Virtual Environment Domes have overhead projection and can be used for standing or seated experiences in numerous configurations. Their reinforced structures are suitable for outdoor use.

The 115' VED is ideal for:

- Creating digital and dynamic environments
- Events and exhibitions
- Education and simulation- Bringing 360 VR content to large audiences
- Music, art, and dance
- Live and interactive presentations and performances

Includes a complete system: dome, Omnispace server, iPad with user interface, projection system, and 5.1 surround sound.

Numerous upgrades, accessories, software modules, and content options are available.



Standard AV (upgradable)		Space		Dimensions		Environment		Installation	
# Projectors	16+	Floor Area	9.95 ft ²	Diameter	115 ft	Indoor/Outdoor	Outdoor	Shipping Weight	62,000 lbs
Active Resolution (Arc)	6.5K+	Screen Area	20.7 ft ²	Height	60 ft	Frame	2" and 3.5" steel	Dome Setup Time	Site determined
Active Pixels	27.5 million+	Standing Capacity	925	Width	115 ft	Truss	2" steel	Dismantle Time	Site determined
Visible Lumens	236,800+	Standard Chair Capacity	Configurable	Door Width	72 in	Wind Load	85 MPH (Beaufort 12)	Total Ballast Weight	Site determined
Contrast	10,000:1	Theater Seat Capacity	Configurable	Door Height	82 in	Snow Load	20.5 lbs ft ²	# Ballast Points	Site determined
Display Technology	3DLP	Luxury Seat Capacity	Configurable	Vent Openings	5x20"	Fire Rating	Flame retardant poly. & pvc	Electrical (standard)	36kW avg, 48kW max
Audio	5.1+	Number of Doors	2 to 5						